

# OCEAN MANAGEMENT SYSTEMS



INSPIRED BY EXPLORATION



#OMS

# OCEAN MANAGEMENT SYSTEMS



Each dive is a training dive for the next dive, you build on your experience with each descent. As your skills progressively improve, you need gear that will adapt per location and to your various styles of diving. Having a modular platform allows you to fine tune your gear configuration to meet the requirements of the dive mission. Today more than ever divers require products that fit their performance needs. Tools which will assist in your continual improvement and making each dive better than the last.

Underwater is a harsh, dynamic, and beautiful environment that is constantly changing. At the surface, conditions may appear calm and serene, only to splash and find yourself racing away with the current. OMS Performance based Buoyancy Compensator Devices systems have been designed as platform products that allow you to adapt as skills improve and diving needs and/or conditions change.

First select a harness system, then the appropriate Air Cell that will get you and your gear to the surface. Consider your weight-integration options in order to offset any required insulation. The heavy duty construction and high quality materials make OMS systems durable enough for any global expeditions as well as weekends at your favorite local dive site.

# DIVE

# HARNESSES

Harness Configurations for All Dive Styles

## SMARTSTREAM

SmartStream was developed to alleviate configuration challenges which may arise while donning a harness with one continuous piece of webbing. By pulling the waist straps forward the shoulder straps secure to the diver's shoulders and back and proper adjustments are instantly achieved. This uniquely adjustable OMS system allows the use of OMS weight pockets or a place to hold a canister light.

This updated harness uses 11.5 ft (3.5m) of 2" (5.1cm) nylon webbing materials and 316 Stainless Steel or Aluminum D-rings with weight stops are included: two at chest level and one on the waist. Easily re-positioned for optimal configuration with an OMS SS/AL buckle. A 2" sewn crotch strap with a 2" DPV D-ring is also included.

- Stainless steel or aluminum backplate
- Quality diving harness
- 11' of OMS signature webbing
- 6 small EPDM bands
- 1 large rubber loop
- 2" crotch strap with 2" scooter D-ring
- Optional padding for shoulder available
- 6 EPDM bands (snoopy loops)
- Large rubber O-ring to hold Inflator hose
- Weight
  - 5 lbs (2.3kg) stainless steel
  - 1.75 lbs (794 g) aluminum
- Signature Version includes back pad, shoulder pads, and weight system.



Pictured with  
Performance  
Mono Wing

# COMFORT HARNESSES III

The Comfort Harness System III is a direct over the shoulder harness with padded shoulder straps, a slide release buckle on both sides, sternum strap, and a stainless steel waist buckle. It also includes adjustable D-ring attachment points. It can be installed on any standard backplate. An OMS comfort pad will increase the comfort and can be installed without the need to remove the Harness from the backplate.

The Comfort Harness now incorporates a pull dump path on each shoulder pad as well. Harness system with 4 chest mounted D-rings, 2 waist strap D-rings, and a crotch strap all made from corrosion resistant aluminum. Harness is covered by a 12 month limited warranty.

- OMS stainless steel or aluminum backplate
- Adjustable harness with removable padded shoulder straps
- 4 chest mounted D-rings, 2 waist strap D-rings
- Quick release stainless steel COBRA buckle system
- Excellent harness for single or double tanks
- 2" crotch strap with 2" scooter D-ring



Pictured with  
Performance  
Mono Wing

# IQ LITE HARNESS

OMS has designed an ultra-light version of the classic IQ backpack, the IQ Lite. At only 2.4 lbs (1.1kg), this comfortable system can easily fit into any carry-on bag. The harness incorporates anodized aluminum accessories to maximize strength and minimize weight.

Unlike other travel systems, the IQ Lite can be easily modified for cold water diving with a simple addition of a wing with the appropriate size lift. As with all OMS equipment, modularity is a key design feature.

- Anodized aluminum accessories
- 4 aluminum D-rings
- Crotch strap
- 2" waist band can be converted to cummerbund
- Backplate can be inserted into back pad

## SIZES AVAILABLE

- XS - XL



Trim Pockets

# IQ LITE HARNESS WITH CUMMERBUND

OMS has designed an ultra-light version of the classic IQ backpack, the IQ Lite. At only 2.4 lbs (1.1kg), this comfortable system can easily fit into any carry-on bag. The harness incorporates anodized aluminum accessories to maximize strength and minimize weight.

Unlike other travel systems, the IQ Lite can be easily modified for cold water diving with a simple addition of a wing with the appropriate size lift. As with all OMS equipment, modularity is a key design feature.

- Anodized aluminum accessories
- Cummerbund
- 4 aluminum D-rings
- 1" crotch strap
- Cummerbund can be converted to 2" waistband
- Backplate can be inserted into back pad
- Comes with 6 lbs vertical weight system

## SIZES AVAILABLE

- XS - XL



# PUBLIC SAFETY HARNESSES

Developed for the specific needs and requirements of Public Safety divers worldwide this new harness from 2018 has it all. Everything from the proprietary SS backplate for different torso lengths and specialized hardware to the lifting strap at the shoulder yoke. Key components are Stainless Steel for durability in extreme conditions.

**This Harness is made for the extreme rigors of public safety diving.** The rugged design allows for Public Safety, Open Circuit, and Surface Supplied gear to be used. The purpose-built harness is strong enough for the rescuer to be able to perform the task at hand with the potential extra load for the forces of nature.

This system will work with all OMS air cells and it is compatible with the Interspiro Dive System while using the optional rail attachment.

- OMS stainless steel backplate (adjustable to fit divers 5'5" to 6'10")
- Waist strap includes a quick cinch design for rapid diver deployment
- A lift ring is designed into the harness to lift the diver out of the water
- Quick release stainless steel COBRA buckle system
- 15lbs (6.8kg) capacity per side
- 2" crotch strap with sewn DPV ring included



# SIDESTREAM

A split-backplate design with 27lbs (12.25kg) of buoyancy is a minimalist sidemount style harness that will adjust to anyone simply by adjusting the 2" webbing to match the diver's torso length. SideStream features a Spine Weight pocket system which holds up to 15 lbs (16.8kg), a "Butt plate" consisting of 2 offset D-rings for cylinder clips and 2 waist D-rings. It also incorporates a redundant air-cell with an oral inflator and dedicated OPV.

- 27lbs lift redundant bladder
- Configurable for your style of sidemount diving



# WINGS

## SINGLE CELL WING

### SIMPLICITY MEETS PERFORMANCE

The Performance Wing Series are donut style wings that allow quick and easy movement of air from one side of the air cell to the other. This is the ideal wing for the traveling diver as it is small, lightweight, and easy to pack.

## PERFORMANCE MONO

The Performance Mono Wing is a donut style wing allowing quick and easy movement of air from one side of the air cell to the other. It also has stabilizing bars built into the wing to reduce tank shifting during the dive. This is the ideal wing for the traveling diver as it is small, lightweight and easy to pack. The Mono wing will fit onto most harness systems.

- Lift capacity
  - 27 lbs (12.5 kg)
  - 32 lbs (14.5 kg)
- Donut style configuration
- Inflator located on the left side
- Power inflator hose included
- Interior zipper backing
- Dump valve on the left side
- 1000 denier nylon outer bag
- Interior urethane backing protects against abrasions and punctures
- Inner bladder polyurethane material, ultrasonically welded fittings and seams
- Low pressure (LP) inflation hose included
- Double stitched seams to prevent fraying



### AVAILABLE COLORS

- Black, Red/Black, Pink/Black, Gray/Black, Lizard Green/Black, Miami Blue/Black, Lava Orange/Black, Yellow/Black, and Navy/Black

\*Performance Mono has integrated soft tank stabilizer

# PERFORMANCE DOUBLE

The Performance Double Wing is a donut style wing allowing quick and easy movement of air from one side of the air cell to the other and is **designed specifically for use with double tanks.**

- Lift capacity
  - 45 lbs (20 kg)
  - 60 lbs (27 kg)
- Donut style configuration
- Inflator located on the left side
- Power inflator hose included
- Interior zipper backing
- Dump valve on the left side
- 1000 denier nylon outer bag
- Interior urethane backing protects against abrasions and punctures
- Inner bladder polyurethane material, ultrasonically welded fittings and seams
- Low pressure (LP) inflation hose included
- Double stitched seams to prevent fraying

## AVAILABLE COLORS

- Black, Red/Black, Pink/Black, Gray/Black, Lizard Green/Black, Miami Blue/Black, Lava Orange/Black, Yellow/Black, and Navy/Black

# OCEAN WING

Ocean Wings are fabricated from an outer bag of 1680 denier nylon, backed with a layer of urethane to protect against abrasion and punctures. The inner bladder is constructed of polyurethane material, ultrasonically welded seams and fittings for added strength.

- Lift capacity
  - 45lbs (20kg)
  - 60lbs (27kg)
- Dry weight
  - 3.7lbs (1.7kg)



# DEEP OCEAN

Deep Ocean Wings include the Retraction Band System, which is designed to keep the wing folded behind the diver's shoulders, reducing drag and the chance of entanglement.

- Exterior retraction band system
- Lift capacity
  - 45 lbs (20 kg)
  - 60 lbs (27 kg)
  - 94 lbs (42 kg)
- See other options listed below



## AVAILABLE COLORS

- Black or Red

# DEEP OCEAN 2.0

Deep Ocean Wings include the Retraction Band System, which is designed to keep the wing folded behind the diver's shoulders, reducing drag and the chance of entanglement.

- Interior retraction band system
- Silicone retraction bands
- Lift capacity
  - 48-60 lbs (21.7-27 kg)
- New style configuration
- Inflator hose on the left shoulder
- Power inflator hose included
- Interior zipper backing
- Dump valve on the lower left
- Dump valve on the upper right
- Stainless steel grommets
- 1000 denier nylon outer bag
- Interior urethane backing protects against abrasions and punctures
- Inner bladder polyurethane material, ultrasonically welded fittings and seams
- Low pressure (LP) inflation hose included
- Double stitched seams to prevent fraying
- Donut style configuration



## AVAILABLE COLORS

- Black, Red/Black, Pink/Black, Gray/Black, Lizard Green/Black, Miami Blue/Black, Lava Orange/Black, Yellow/Black, and Navy/Black



# DUAL CELL WING

## TRIESTE

**Designed for the diver that prefers a wing with a redundant bladder.** The secondary bladder is designed to ensure proper buoyancy control in the event of primary bladder failure. The power/oral inflator is the same on both bladders. Overpressure valves are located on the respective sides of each bladder.

- Lift Capacity
  - 60 lbs (27 kg)
- Left side inflator hose is against divers back
- Dump valve on the lower left of divers back
- Second dump on the valve on the right side
- Interior zipper backing
- Redundant inner bladder
- Redundant inflator hose on the right side
- Redundant dump valve exterior on the right side
- Second redundant dump valve on the left side
- Power inflator hose included
- Stainless steel grommets
- 1000 denier nylon outer bag
- Interior urethane backing protects against abrasions and punctures
- Inner bladder polyurethane material, ultrasonically welded fittings and seams
- Low pressure (LP) inflation hose included
- Spare retraction bands are included



## AVAILABLE COLORS

- Black or Red



## TESSERACT

The Tesseract is a low-profile, large volume wing that is designed for both open circuit and closed circuit applications. This redundant air cell gives the performance diver a variety of configuration options and the security of always having a back-up.

# CHEMICAL RESISTANT WING

Chemical Resistant (CR) wing designed to meet the requirements of Public Safety Divers and Military Divers. Dive instructors also appreciate the CR protection for their many hours in chlorine pools.

## DEEP OCEAN CR WING

- Lift capacity
  - 60lbs (27.2kg)
- Dry weight
  - 4.2b (1.7kg)



## OCEAN WING CR

- Lift capacity
  - 60lbs (27kg)
- Dry weight
  - 3.7lbs (1.7kg)



# SIDEMOUNT ADAPTER

ONE SIZE FITS ALL

## REC SIDEMOUNT ADAPTER (SMA)

The OMS Side Mount Adaptor is a modular component for your OMS buoyancy compensator. **The adaptor brings full side mount functionality with any backplate and wing system.** These adaptor plates are built to use through the tightest of restrictions.



SIDEMOUNT  
ADAPTER



## TEC SIDEMOUNT ADAPTER (SMA)

The TEC Sidemount adapter plate is longer and offers more overhead abrasion protection behind your head. It is designed to be used with the Tesseract wing, a donut double bladder wing with bungees, but can work with other wings and systems.

# BACKPLATE

## STAINLESS STEEL

- 5lbs (2.3kg)



## ALUMINUM

- 1.7lbs (.8kg)



## BACKPAD



## BACKPLATE

- Superior de-burring process
- Design: eliminates sharp edges, prevents abrasion and cuts to webbing, and buoyancy compensator device's
- Corrosion resistant stainless steel or aluminum back plate
- Weight
  - 5 lbs (2.3kg) SS
  - 1.75 lbs (794 g) AL
- Plate webbing slots: 1" and 2"
- Bottom slot: accommodate band bolts, slightly off 11" on center
- Slots to mount cam bands for single cylinder configuration
- Hard coat anodized surface to prevent oxidation
- 22 holes for flexibility in accessory mounting
- Additional slots to mount cam bands for single cylinder configuration
- Attachment options for 1" or 2" crotch straps

## BACK PAD

The OMS backplate pad can be easily installed on any backplate to create an additional layer of comfort. **Includes 4 trim weight pockets, each pocket holds up to 2 lbs (1 kg).** The pad is constructed out of 1000 denier Cordura® and a comfortable closed high density foam for quick drying.

- Creates a layer of comfort for your hard backplate
- 4 trim weight pockets
- Durable construction with fast drainage

# REGULATORS

## AIRSTREAM FIRST STAGE

One of the main features of the high-performance Airstream Evoque is the streamlined hose routing of the first stage. The low-pressure ports are angled 30-degrees down and 23-degrees forward to allow hose routing directly over the shoulders, keeping the configuration close to the diver's body. Additionally, the high-pressure ports are angled down 45-degrees for minimal resistance and keeping the SPG as close to the divers' side as possible. The high-performance Airstream Evoque delivers the industry's finest work of breathing of .8 joules per liter.

- High performance overbalanced diaphragm first stage
- Environmental protection
- 4 LP ports and 2 HP ports angled for hose routing
- Cold water and nitrox ready
- Matte chrome or PVD finish
- CE certified to EN250 European standards



# EVOQUE SECOND STAGE

Some of the unique features of the Evoque second stage is the exhaust deflector with a door that opens to give access to the flapper valve. The exhaust deflector is also designed to work in conjunction with the OMS Tattoo Mask, allowing the exhaled bubbles to route up behind the sides of the mask. The Pre-dive/Dive switch keeps the Evoque from free flowing when the diver doesn't have the regulator in their mouth. The adjustment knob that allows the diver to change the breathing resistance has a clutch that prevents over tightening when increasing resistance.

This regulator system comes in a variety of different hose lengths from 22" to 84". In addition it can be purchased with a color-coded octopus that shares all the same features of the primary second stage.

- Balanced
- Access door to clear exhaust valve
- Dive/pre-dive switch
- Diver Adjustable



## AIRSTREAM EVOQUE



DIN



YOKE

# RUBBER HOSE

We supply rubber hoses that feature traditional rubber with chromed brass fittings. Each hose length is measured from end-to-end.



## INFLATION

- 22" (56cm)
- 25.5" (65cm)
- 29" (74cm)
- 35" (90cm)



## LOW PRESSURE UNF 3/8"

- 22" (56cm)
- 24" (60cm)
- 31.5" (80cm)
- 39" (99cm)
- 59" (150cm)
- 83.5" (210cm)



## LOW PRESSURE UNF 1/2"

- 22" (56cm)
- 24" (60cm)
- 31.5" (80cm)
- 39" (99cm)
- 59" (150cm)
- 83.5" (210cm)



## HIGH PRESSURE

- 6" (16cm)
- 22" (56cm)
- 24" (60cm)
- 25.5" (65cm)
- 31.5" (80cm)
- 39" (99cm)

# MIFLEX HOSE

OMS Miflex Hoses feature patent pending double nylon safety braiding, designed to out perform and outlive traditional rubber hoses. Miflex hoses are 30% lighter than the equivalent length rubber hose and have unmatched flexibility. You can tie a Miflex hose in a knot and be assured of continuous, uninterrupted airflow.



## INFLATION

- 22" (56cm)
- 24" (60cm)
- 26" (65cm)
- 29" (74cm)
- 36" (90cm)



## HIGH PRESSURE

- 6" (16cm)
- 24" (60cm)
- 32" (80cm)
- 40" (100cm)



## LOW PRESSURE

- 22" (56cm)
- 24" (60cm)
- 30" (75cm)
- 32" (80cm)
- 40" (100cm)
- 48" (140cm)
- 82" (210cm)

# SUBMERSIBLE PRESSURE GAUGE

OMS submersible pressure gauges (SPG) comes with the “O” ring swivel that is needed. These gauges are Stainless Steel, light, small and perfect for stage bottles or divers that are just looking for a more compact gauge.

- High contrast face designed for easy viewing in low-light situations
- Brass housing
- Nickel finish
- Optional gauge boot
- BAR and PSI



Also available in Black PVD coating PSI



2.5" (63MM)

- Available in Bar and PSI



2" (52MM)

- Available in Bar and PSI

GAUGES



# MASKS

## TATTOO MASK

One window frameless mask with an ultra low volume. The skirt design is available in an additional smaller size to accommodate a range of face sizes. This mask also features a unique new 3-D contoured mask strap that prevents folding. **Made with high quality silicone that fits the contours of your face and lasts longer.**

### AVAILABLE COLORS

- Black, White, Yellow, Red, Blue, Pink, and Clear Blue

### LENS TYPES

- UV Protective Lens or Ultra Clear Lens

### TWO SIZES

- Standard and Small



## TRIBE MASK

One window frameless mask with an ultra low volume. This mask also features a unique new 3-D contoured mask strap that prevents folding. Made with high quality silicone that fits the contours of your face and lasts longer.

### AVAILABLE COLORS

- Black, White, Yellow, Red, Blue, Pink, and Clear Blue
- Special Order Only

### LENS TYPE

- Saint Gobain Ultra Clear Lens



# FINS

## SLIPSTREAM FINS

Slipstream Fins are made with monoprene, creating a lightweight but high performance fin. The lightweight helps to keep the divers legs in optimal position when a low-silting kick is necessary.

- Made with monoprene
- Includes spring heel straps
- Excellent performance
- Lightweight

### SIZES AVAILABLE

- M - XXL

### AVAILABLE COLORS

- Black, White, Yellow, Red, and Blue
- Pre-order only

FIN SIZE	LENGTH (TOE TO TOP)	WIDTH (OPENING)	HEIGHT (OPENING)	ULTRAFLEX BOOT SIZE	ROCKBOOTS™ BOOT SIZE
M	8.75"	4"	3"	N/A	N/A
L	8.6"	4"	3.1"	S - L	4
XL	9.1"	4.4"	3.2"	L - XL	9
XXL	9.3"	4.7"	3.2"	XXL - 3XL	10

OMS SPRING HEELS FOR TRIBE FIN	RELAXED	STRETCHED
M	7.25"	10.75"
L	8.5"	12"
XL	9.5"	13"
XXL	11"	14"





FINS

# TRIBE FIN

Tribe Fins are made with rubber, creating a high performance fin.

- Includes spring heel straps with loops
- Excellent Performance

## SIZES AVAILABLE

- S - XXL

## AVAILABLE COLORS

- Black, White, Yellow, Red, Blue, and Camo
- Pre-order and special order only

FIN SIZE	LENGTH (TOE TO TOP)	WIDTH (OPENING)	HEIGHT (OPENING)	ULTRAFLEX BOOT SIZE	ROCKBOOTS™ BOOT SIZE
S	9.7"	3.8"	3.5"	M - L	4
M(R)	10.2"	3.8"	3.5"	XL	5 - 6
XL	10.3"	4"	3.5"	XXL	7 - 9
XXL	11.2"	4.2"	4"	XXL - 3XL	10

OMS SPRING HEELS STRAPS WITH LOOPS FOR TRIBE FIN	RELAXED	STRETCHED
M	7.25"	10.75"
L	8.5"	12"
XL	9.5"	13"
XXL	11"	14"





FINS

# REEFSTREAM FINS

ReefStream fins meet the needs of those seeking a lighter weight fin for travel and warmer water diving. The sculpted foot pocket has been developed for most types of boots while securely transferring energy to the blade as efficiently as possible.

## SIZES AVAILABLE

- S - XL

## COLORS

- Black/Gray or Black/Pink



# REEFSTREAM SNORKEL

Perfect companion for the ReefStream Fins. The Reefstream Snorkel is a semi-dry snorkel with splash guard.

## COLORS

- Gray or Pink



# REELS AND SPOOLS

## SMARTREEL

The OMS SmartReel 250 is made of a durable glass fiber reinforced nylon material and thicker #36 braided nylon red color line. The included #36 line is **best for diving in highly abrasive places such as wrecks and caves but is also appropriate for open water use.**

- Thicker #36 braided nylon Red colored line
  - 250ft (76m)
  - 400ft (122m)
- Designed by OMS for wreck, cave, or open water use
- Spool portion is made of a glass fiber reinforced nylon material
- Diameter is 5in (12.7cm) with a total width of 1.5in (3.8cm)
- Comfortable adjustable side strap provides for a custom fit
- Includes stainless steel double ender
- Quick twist locking feature
- Can be disassembled for maintenance
- Stainless Steel interior components



# SPOOLS

This new and improved dive spool design allows the diver to create drag and effectively control the speed of the line by easily squeezing the center of the spool. This feature is particularly useful for divers who deploy their SMB's at depth. It also allows for a visual check of the knot.

- Pre-packed with nylon line
- Stainless steel BigGrip™ double ender clip
- Lightweight ABS plastic

## AVAILABLE LENGTHS

- 75'
- 100'
- 150'

## AVAILABLE COLORS

- Black or Pink\*

\*Some sizes are not available in select colors.

## OMS 75 SPOOL

- 75 ft (22.86 m)
- Available colors
  - Black
  - Pink (Special Edition)



## OMS 100 SPOOL

- 100 ft (30.48 m)



## OMS 150 SPOOL

- 150 ft (45.72 m)



# SAFETY

The OMS no spill design offers an extra level of security that gives the diver confidence to know that their marker is safely on the surface.

## SURFACE MARKER BUOYS

Our OMS SMB is designed with an open bottom allowing the diver to inflate it using the second stage of a regulator or other methods. This SMB is a standard piece of gear for divers performing drift or decompression dives.

- No-lock inflator
- Dump/overpressure valve with manual pull cord
- Nylon loop to aid in stowing when deflated
- Stainless steel “D” ring for attaching line
- Easily inflated at depth
- Extreme visibility
- Maximum size available in the OMS SMB line up

### AVAILABLE OPTIONS

- Open, bottom filled
- Closed, no-lock inflator and no spill design
- Hybrid, bottom filled, no-lock inflator, and no spill design


### AVAILABLE LENGTHS

- 3.3' (1 Meter)
- 6' (1.8 Meters)
- 16' (4.8 Meters)

### AVAILABLE SMB COLORS

- Orange, Yellow, and Pink\*

\*Some sizes are not available in select colors.



# SAFETY KITS

Each kit contains an SMB, Dive Reel Spool, and Double-Ender Clip.

The Safety Pocket attaches to any 2" webbing or it can be clipped to the front of a Buoyancy Compensator Devices. A zipper allows for easy access but prevents the items from falling out. There are 3 different configurations of the Safety Kit which will meet the needs for most divers.

## SAFETY KIT I

- 3.3' SMB with a closed bottom and hybrid
- 75' spool\*
- BigGrip™ double-ender clip
- High visibility safety pocket

## SAFETY KIT II

- 6' Slim SMB with a closed bottom and hybrid
- 100' spool
- BigGrip™ double-ender clip
- High visibility safety pocket

## SAFETY KIT III

- 6' Slim with a closed bottom and Hybrid
- 150' spool
- BigGrip™ double-ender clip
- High visibility safety pocket

## AVAILABLE SMB COLORS

- Orange, Yellow, or Pink

\*Safety Kit I in Pink/Black Pocket comes with a Pink 75' spool



# LIFT BAGS

These lift bags have a durable and strong 1" (2.54 cm) webbing loop strap attached to open bottom with one way valve to prevent gas venting upon reaching the surface. For best control while ascending the lift bags have an over pressure relief valve (OPV) with manual pull-to-dump. This high visibility bright orange lift bag is easy to spot when on the surface.

Lift bags are the proper tool used to raise an object to the surface. The OMS lift bags are made with heavy-duty nylon and webbing with durable construction.

- 1" webbing attached to bottom
- Open bottom one way valve to prevent gas venting upon reaching the surface
- Over pressure valve (OPV) with manual pull dump
- Lift handle on top

## AVAILABLE SIZES

- 50 lbs (~22.7 KG)
- 125 lbs (~56.7 KG)

## AVAILABLE COLOR

- Orange



**50 LBS LIFTBAG**

- Approx. 22.7 KG



**125 LBS LIFTBAG**

- Approx. 56.7 KG

# BAGS BY OMS

## KNAPSACK / GEAR BAG

This oversized OMS gear bag provides ample space to store your equipment and may be carried as a duffel bag or backpack as needed. Durable nylon webbing handle and straps are padded with a water repellent 1000 Denier laminated nylon material and sturdy slide release buckles provide a chest strap for weight distribution when required. Internal mesh pockets are located on each end to secure small items.

- Made with heavy duty TPU coated fabric
- Removable, padded shoulder straps for carrying as a backpack including movable sternum strap
- Two large mesh inside pockets
- Large pocket inside the upper flap for storage of items you want to keep dry, i.e. keys or wallet
- Two large heavy-duty handles at each end
- Straps for carrying by hand

### DIMENSIONS

- Approx. 31 in x 18 in x 17 in (78.7 cm x 45.7 cm x 43.8 cm)

### AVAILABLE COLOR

- Black with Gray OMS Logo



# MESH GEAR BAG

Made from durable 420 Denier Nylon, this bag also incorporates PVC coated Nylon mesh panels along the top and sides for superb drainage. A sturdy nylon webbing handle wrapped with durable nylon material for padding provides an easy grip point or use the included padded shoulder strap if desired.

- Fast drainage
- Room for your buoyancy compensator devices, fins, and regulators
- Use as a duffel or shoulder bag
- Durable nylon materials for long life
- Padded shoulder strap
- Plastic attachment clips
- Heavy-duty zipper
- Padded carrying strap

## DIMENSIONS

- Approx. 29 in x 14 in x 12 in (73.6 cm x 35.5 cm x 30.4 cm)

## AVAILABLE COLORS

- Yellow/Red, Pink/Black, or Gray/Black



# ADDITIONAL HARDWARE

Divers had always been on the hunt for hardware in any size or configuration with the best grip. Divers wearing thick neoprene or dry gloves can have difficulties manipulating gear clips. OMS BigGrip™ clips have an extended section on the gate that allows for easier use of the clip. Standard hardware included in spools and stage strap kits.

## BIGGRIP™ BOLTSNAP

- 3.5" (90mm)
- 3.75" (95mm)
- 4" (100mm)
- 4.25" (115mm)
- 4.5" (120mm)



## BIGGRIP™ DOUBLE ENDERS

- 3.5" (90mm)
- 3.75" (95mm)
- 4" (100mm)



## STAINLESS STEEL D-RING

- 1" (25mm) straight
- 2" (5cm) straight
- 2" (5cm) bent
- 3" (7.6cm) bent




## ALUMINUM D-RING

- 2" (5cm) bent
- 3" (7.6cm) bent



## SMOOTH TRIGLIDE



## SAWTOOTH TRIGLIDE

# COMMUNICATION TOOLS

## WRIST SLATE

Three page wrist slate made of high density plastic. The pages open up and remain in place allowing easy writing. Graphite pencil secured with a piece of nylon line. Optional Velcro wrist strap included.



## ARROWS



## COOKIES




## DIVER'S NOTEBOOK

Includes underwater paper, with pencil, table windows, pockets, and pencil holders



## REPLACEMENT PAGES

# ACCESSORIES



12.

**ARGON**  
DO NOT BREATHE

**OXYGEN 20**

**70**

**100**

**120**

**190**

**240**

**300**



13.



14.



1. ADJUSTABLE THIGH POCKET

2. BALLAST WEIGHT SYSTEM

- 15lbs (6.8 kg)
- Pair

3. BLIND PLUG UNF 1-2"

4. CAM BAND / BUCKLE AND FRICTION PAD

- Available in plastic and stainless Steel

5. CYLINDER MOUNTING STRAPS

- Available sizes
  - 2.5" (60mm)
  - 3.5" (90mm)
  - 4.5" (115mm)

6. DELRIN THUMB WHEELS

- Imperial and metric

7. DIN TO YOKE ADAPTER

8. INTEGRATED 3-IN-1 UTILITY WEIGHT POCKET

9. JON LINE WITH INTEGRATED POUCH AND CLIP

- 8ft (2.4m)

10. LINE CUTTERS

- Available in Black or Orange

11. MASK SLAP-STRAP

12. MOD DECAL KIT

- Available in imperial and metric

13. NYLON WEBBING

- 2" (51mm)
- 25ft (7.6m) package

14. OMS FRICTION PAD



15. O-RING KIT 1000  
 • 18 different sizes

16. SEA SNIPS

17. SILICONE RETRACTION BANDS  
 • 12 pieces

18. SK1 SCISSOR / KNIFE (SHARP)

19. SK2 SCISSOR / KNIFE (BLUNT)

20. SLIPSTREAM SPRING STRAPS

21. SLIPSTREAM SPRING STRAPS WITH LOOPS

22. SMALL UTILITY / MASK POCKET

23. SOFT TANK ADAPTER

24. STAGE RIGGING KIT  
 • 4.5" (114.3mm)  
 • 40CF cylinders

25. STANDARD STAINLESS STEEL TANK ADAPTER

26. TATTOO MASK STRAP AND BUCKLES

27. TRIM WEIGHT POCKET  
 • 5lbs (2.3kg)  
 • Single

28. VERTICAL WEIGHT SYSTEM  
 • 6lbs (2.7kg)  
 • Pair

29. WEIGHT BUCKLES ALUMINUM AND STAINLESS STEEL

30. 12/18/22MM BOOKSCREW



# WARRANTY

OMS is distributed in the United States by  
Diving Unlimited International, Inc. (DUI)  
1148 Delevan Drive  
San Diego, CA 92102-2499  
619-236-1203  
www.divedui.com

## USA WARRANTY

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Ocean Management Systems, distributed by DUI in the U.S., warrants that all OMS products based upon the individual terms and conditions set forth for each product.

### **Buoyancy Compensator Systems:**

Two (2) years from the original purchase date OMS warrants the BCD to be free from defects in materials and workmanship.

### **Airstream Evoque Regulator:**

Two (2) years from the original purchase date OMS warrants the Regulator to be free from defects in materials and workmanship. Note, OMS Life Support Equipment should be inspected & Serviced Annually by an authorized Service Center. Service Prices does not include parts or shipping. Turnaround Service time is approximately 7-10 days.

### **Accessories:**

One (1) year to be free from defects in materials and workmanship from the original date of retail purchase.

### **GENERAL TERMS:**

Any product determined by OMS to be defective in materials or workmanship in accordance with the above warranties will be repaired or replaced, at the option of OMS, free of charge, when received at the factory freight prepaid, together with proof of purchase. The original warranty date applies regardless of whether the item is repaired or replaced. This warranty is expressly in lieu of all other warranties. Any implied warranties of merchantability or fitness for a particular purpose are limited to the same duration as this express warranty. This warranty does not cover, and OMS shall not be liable for incidental or consequential damages. Some states do not allow the exclusion or limitation of implied warranties, incidental or consequential damages, so the above limitations and exclusions may not apply to you. This warranty does not cover fading or any damage resulting from misuse, abuse, neglect, alteration, failure to perform maintenance as instructed, damage caused by contaminants, or unauthorized repair or service. This warranty does not cover any representation or warranty made by dealers beyond the provisions of this warranty. This warranty does not cover costs incurred for normal repair, inspection and preventative maintenance. This warranty is a consumer warranty extended only to the original retail purchaser, and does not apply to equipment used for commercial purposes. You must establish proof of purchase to obtain warranty service or replacement.

Note: Warranty valid in US only but subject to changes based on local laws and conditions.

[DIVEDUI.COM/WARRANTY](http://DIVEDUI.COM/WARRANTY)



PHOTO CREDIT: ROBIN JACOWAY



PHOTO CREDIT: BLUE GREEN EXPEDITIONS

# 2020

[DIVEDUI.COM](https://divedui.com)

 @OMS-OCEAN MANAGEMENT SYSTEMS

#OMSDIVE

 @OMSDIVE

#DIVEDUI

DIVING UNLIMITED INTERNATIONAL  
800-325-8439  
1148 DELEVAN DRIVE  
SAN DIEGO, CA 92102-2499 USA

550317